

Mortality Multiple Cause-of-Death Public Use Record  
2005

VI. List of File Data Elements and Tape Locations

Data Items		Tape Locations
1.	General	
a.	Record Type	19
b.	Resident status	20
c.	Place of death and decedent's status	83
d.	Day of week of death	85
e.	Date of data receipt	94-101
f.	Data year	102-105
2.	Occurrence	
a.	State (FIPS)	21-22
b.	County (FIPS)	23-25
c.	County Population size	28
3.	Residence	
a.	State (FIPS)	29-30
b.	State/Country Recode	33-34
c.	County (FIPS)	35-37
d.	County Population size	51
4.	The Decedent	
a.	Month of Death	65-66
b.	Sex	69
c.	Race	445-450
d.	Age	70-82
e.	Marital status	84
f.	State of birth	55-60
g.	Hispanic origin	484-488
h.	Education	61-64
5.	Underlying Cause	
a.	ICD-10 code	146-149
b.	358 cause recode	150-152
c.	113 cause recode	154-156
d.	130 cause recode	157-159
e.	39 cause recode	160-161

2005  
Mortality Multiple Cause-of-Death Public Use Record

- 6. Multiple Conditions
  - a. Entity-Axis conditions
    - 1. Number of 163-164
    - 2. The conditions 165-304
  - b. Record-Axis conditions
    - 1. Number of 341-342
    - 2. The conditions 344-443
- 7. Other medical items
  - a. Place of injury 145
  - b. Injury at work 106
  - c. Method of disposition 108
  - d. Autopsy 109
  - e. Activity code 144

2005  
Mortality Multiple Cause-of-Death Public Use Record

<u>Tape Location</u>	<u>Field Size</u>	<u>Item and Code Outline</u>
1-18	18	<u>Reserved Positions</u> These positions are blank.
19	1	<u>Record Type</u> 1     ... RESIDENTS State and County of Occurrence and Residence are the same. 2     ... NONRESIDENTS State and/or County of Occurrence and Residence are different.
20	1	<u>Resident Status</u> United States Occurrence 1     ... RESIDENTS State and County of Occurrence and Residence are the same. 2     ... INTRASTATE NONRESIDENTS State of Occurrence and Residence are the same, but County is different. 3     ... INTERSTATE NONRESIDENTS State of Occurrence and Residence are different, but both are in the U.S. 4     ... FOREIGN RESIDENTS State of Occurrence is one of the 50 States or the District of Columbia, but Place of Residence is outside of the U.S. Puerto Rico Occurrence 1     ... RESIDENTS Territory and County-equivalent of Occurrence and Residence are the same. 2     ... INTRASTATE NONRESIDENTS Territory of Occurrence and Residence are the same, but County-equivalent is different. 3     ... INTERTERRITORY NONRESIDENTS: Territory of occurrence and residence are different, but both are a Territory. 4     ... FOREIGN RESIDENTS Occurred in Puerto Rico to a resident of any other place.

2005  
Mortality Multiple Cause-of-Death Public Use Record

<u>Tape Location</u>	<u>Field Size</u>	<u>Item and Code Outline</u>
20	1	<u>Resident Status - Con.</u>  Virgin Islands Occurrence <ul style="list-style-type: none"> <li>1     ... RESIDENTS Territory and County-equivalent of Occurrence and Residence are the same.</li> <li>2     ... INTRASTATE NONRESIDENTS Territory of Occurrence and Residence are the same, but County-equivalent is different.</li> <li>3     ... INTERTERRITORY NONRESIDENTS: Territory of occurrence and residence are different, but both are a Territory.</li> <li>4     ... FOREIGN RESIDENTS Occurred in Virgin Islands to a resident of any other place.</li> </ul> Guam Occurrence <ul style="list-style-type: none"> <li>1     ... RESIDENTS Occurred in Guam to a resident of Guam or to a resident of the U.S.</li> <li>3     ... INTERTERRITORY NONRESIDENTS: Territory of occurrence and residence are different, but both are a Territory.</li> <li>4     ... FOREIGN RESIDENTS Occurred in Guam to a resident of any place other than Guam or the U.S.</li> </ul> American Samoa Occurrence <ul style="list-style-type: none"> <li>1     ... RESIDENTS Territory and County-equivalent of Occurrence and Residence are the same.</li> <li>2     ... INTRASTATE NONRESIDENTS Territory of Occurrence and Residence are the same, but County-equivalent is different.</li> <li>3     ... INTERTERRITORY NONRESIDENTS: Territory of occurrence and residence are different, but both are a Territory.</li> <li>4     ... FOREIGN RESIDENTS Occurred in American Samoa to a resident of any other place.</li> </ul> Northern Marianas Occurrence <ul style="list-style-type: none"> <li>1     ... RESIDENTS Territory and County-equivalent of Occurrence and Residence are the same.</li> <li>2     ... INTRASTATE NONRESIDENTS Territory of Occurrence and Residence are the same, but County-equivalent is different.</li> <li>3     ... INTERTERRITORY NONRESIDENTS: Territory of occurrence and residence are different, but both are a Territory.</li> <li>4     ... FOREIGN RESIDENTS Occurred in Northern Marianas to a resident of any other place.</li> </ul>

2005  
Mortality Multiple Cause-of-Death Public Use Record

<u>Tape Location</u>	<u>Field Size</u>	<u>Item and Code Outline</u>
21-54	34	<u>FEDERAL INFORMATION PROCESSING STANDARDS (FIPS) GEOGRAPHIC CODES</u>  Refer to the Geographic Code Outline further back in this document for a detailed list of areas and codes. For an explanation of FIPS codes, reference should be made to various National Institute of Standards and Technology (NIST) publications. Some geographic codes have been changed to reflect the results of the 2000 Census.
21-28	8	<u>PLACE OF OCCURRENCE</u>
21-22	2	<u>State of Occurrence (FIPS)</u>  Puerto Rico  PR      ... Puerto Rico  Virgin Islands  VI      ... Virgin Islands  Guam  GU      ... Guam  American Samoa  AS      ... American Samoa  Northern Marianas  MP      ... Northern Marianas
23-25	3	<u>County of Occurrence (FIPS)</u>  Counties and county equivalents (independent and coextensive cities) are numbered alphabetically within each State and identify each county with a population of 100,000 or more in 2000. (Note: To uniquely identify a county, both the state and county codes must be used.) A complete list of counties is shown in the Geographic Code Outline further back in this document.  001-nnn      ...      Code range 999      ...      County of less than 100,000 population

2005  
Mortality Multiple Cause-of-Death Public Use Record

<u>Tape Location</u>	<u>Field Size</u>	<u>Item and Code Outline</u>
26-27	2	<u>Reserved Positions</u> These positions are blank.
28	1	<u>Population Size of County of Occurrence</u>  Based on the results of the 2000 Census  0     ... County of 1,000,000 or more 1     ... County of   500,000 to 1,000,000 2     ... County of   250,000 to   500,000 3     ... County of   100,000 to   250,000 9     ... County of less than 100,000
29-54	24	<u>PLACE OF RESIDENCE</u>  Refer to the Geographic Code Outline further back in this document for a detailed list of areas and codes. Beginning with 2003 data, some areas started reporting additional codes for foreign residents.
29-30	2	<u>State of Residence (FIPS)</u>  <div style="margin-left: 40px;">Territories Residents</div> <div style="margin-left: 40px;">PR     ... Puerto Rico</div> <div style="margin-left: 40px;">VI     ... Virgin Islands</div> <div style="margin-left: 40px;">GU     ... Guam</div> <div style="margin-left: 40px;">AS     ... American Samoa</div> <div style="margin-left: 40px;">MP     ... Northern Marianas</div> <div style="margin-left: 40px;">Foreign residents</div> <div style="margin-left: 40px;">CC     ... Canada</div> <div style="margin-left: 40px;">MX     ... Mexico</div> <div style="margin-left: 40px;">CU     ... Cuba</div> <div style="margin-left: 40px;">YY     ... Remainder of the world</div> <div style="margin-left: 40px;">Puerto Rico Occurrence</div> <div style="margin-left: 40px;">PR     ... Puerto Rico</div> <div style="margin-left: 40px;">US, ZZ ... Foreign residents</div> <div style="margin-left: 40px;">Virgin Islands Occurrence</div> <div style="margin-left: 40px;">VI     ... Virgin Islands</div> <div style="margin-left: 40px;">US, ZZ ... Foreign residents</div>

2005  
Mortality Multiple Cause-of-Death Public Use Record

<u>Tape Location</u>	<u>Field Size</u>	<u>Item and Code Outline</u>
29-30	2	<u>State of Residence (FIPS) - Con</u>
		Guam Occurrence
		GU ... Guam
		US ... U.S. resident. Also considered a resident of Guam.
		ZZ ... Foreign residents: refer to U.S. for specific code structure.
		American Samoa Occurrence
		AS ... American Samoa
		US, ZZ ... Foreign residents
		Northern Marianas Occurrence
		MP ... Northern Marianas
		US, ZZ ... Foreign residents
31-32	2	<u>Reserved Positions</u> These positions are blank.
33-34	2	<u>State/Country of Residence Recode</u>
		Territorial residents
		PR ... Puerto Rico
		VI ... Virgin Islands
		GU ... Guam
		AS ... American Samoa
		MP ... Northern Marianas
		Foreign residents
		CC ... Canada
		MX ... Mexico
		CU ... Cuba
		YY ... Remainder of the world
		Puerto Rico Occurrence
		PR ... Puerto Rico
		US, ZZ ... Foreign residents.

2005  
Mortality Multiple Cause-of-Death Public Use Record

<u>Tape Location</u>	<u>Field Size</u>	<u>Item and Code Outline</u>
33-34	2	<u>State/Country of Residence Recode – Con.</u>  Virgin Islands Occurrence  VI      ... Virgin Islands US, ZZ ... Foreign residents.  Guam Occurrence  GU      ... Guam US      ...U.S. resident. Also considered a resident of Guam ZZ      ... Foreign residents.  American Samoa Occurrence  AS      ... American Samoa US, ZZ ... Foreign residents.  Northern Marianas Occurrence  MP              ... Northern Marianas US, ZZ              ... Foreign residents.
35-37	3	<u>County of Residence (FIPS)</u>  Counties and county equivalents (independent and coextensive cities) are numbered alphabetically within each State and identify each county with a population of 100,000 or more in 2000. (Note: To uniquely identify a county, both the state and county codes must be used.) A complete list of counties is shown in the Geographic Code Outline further back in this document.  000      ... Foreign residents 001-nnn ... Code range 999      ... County of less than 100,000 population
38-50	13	<u>Reserved Positions</u> These positions are blank.
51	1	<u>Population Size of County of Residence</u>  Based on the results of the 2000 Census  0      ... County of 1,000,000 or more 1      ... County of 500,000 to 1,000,000 2      ... County of 250,000 to 500,000 3      ... County of 100,000 to 250,000 9      ... County of less than 100,000 Z      ... Foreign residents



2005  
Mortality Multiple Cause-of-Death Public Use Record

<u>Tape Location</u>	<u>Field Size</u>	<u>Item and Code Outline</u>
52-58	7	<u>Reserved Positions</u> These positions are blank.
59-60	2	<u>State/Country Birth Recode</u>  Territorial residents PR ... Puerto Rico VI ... Virgin Islands GU ... Guam AS ... American Samoa MP ... Northern Marianas  Foreign residents US ... United States CC ... Canada MX ... Mexico CU ... Cuba YY ... Remainder of the world ZZ ... Unknown place of birth
61-64	4	EDUCATION
61-62	2	<u>Education (1989 revision)</u>  00 ... No formal education 01-08 ... Years of elementary school 09 ... 1 year of high school 10 ... 2 years of high school 11 ... 3 years of high school 12 ... 4 years of high school 13 ... 1 year of college 14 ... 2 years of college 15 ... 3 years of college 16 ... 4 years of college 17 ... 5 or more years of college 99 ... Not stated
63	1	<u>Education (2003 revision)</u>  Field is blank for registration areas that are using the 1989 revision format of the item.  1 ... 8th grade or less 2 ... 9 - 12th grade, no diploma 3 ... high school graduate or GED completed 4 ... some college credit, but no degree 5 ... Associate degree 6 ... Bachelor's degree 7 ... Master's degree 8 ... Doctorate or professional degree

2005  
Mortality Multiple Cause-of-Death Public Use Record

<u>Tape Location</u>	<u>Field Size</u>	<u>Item and Code Outline</u>
64	1	9 ... Unknown <u>Education reporting flag</u>  0 ... 1989 revision of education item on certificate 1 ... 2003 revision of education item on certificate 2 ... no education item on certificate
65-66	2	<u>Month of Death</u>  01 ... January 02 ... February 03 ... March 04 ... April 05 ... May 06 ... June 07 ... July 08 ... August 09 ... September 10 ... October 11 ... November 12 ... December
67-68	2	<u>Reserved Positions</u>
69	1	<u>Sex</u>  M ... Male F ... Female
70-82	13	<u>REPORTED AGE</u>
70-73	4	<u>Detail Age</u>  Four positions are used to code detail age. Location 70 identifies age in years, months, days, etc. Locations 71-73 are the number of years, months, days, etc.  1 001-135,999 ... Years 2 001-011,999 ... Months 4 001-027,999 ... Days 5 001-023,999 ... Hours 6 001-059,999 ... Minutes 9 999 ... Age not stated
74	1	<u>Age Substitution Flag</u>  If reported age is unknown but a valid age is calculated using dates of birth and death, the calculated age is substituted for the unknown reported age.  Blank ... Calculated age is not substituted for reported age 1 ... Calculated age is substituted for reported age

2005  
Mortality Multiple Cause-of-Death Public Use Record

<u>Tape</u> <u>Location</u>	<u>Field</u> <u>Size</u>	<u>Item and Code Outline</u>
75-76	2	<u>Age Recode 52</u>
	01	... Under 1 hour (includes not stated hours and minutes)
	02	... 1 - 23 hours
	03	... 1 day (includes not stated days)
	04	... 2 days
	05	... 3 days
	06	... 4 days
	07	... 5 days
	08	... 6 days
	09	... 7 - 13 days (includes not stated weeks)
	10	... 14 - 20 days
	11	... 21 - 27 days
	12	... 1 month (includes not stated months)
	13	... 2 months
	14	... 3 months
	15	... 4 months
	16	... 5 months
	17	... 6 months
	18	... 7 months
	19	... 8 months
	20	... 9 months
	21	... 10 months
	22	... 11 months
	23	... 1 year
	24	... 2 years
	25	... 3 years
	26	... 4 years
	27	... 5 - 9 years
	28	... 10 - 14 years
	29	... 15 - 19 years
	30	... 20 - 24 years
	31	... 25 - 29 years
	32	... 30 - 34 years
	33	... 35 - 39 years
	34	... 40 - 44 years
	35	... 45 - 49 years
	36	... 50 - 54 years
	37	... 55 - 59 years
	38	... 60 - 64 years
	39	... 65 - 69 years
	40	... 70 - 74 years
	41	... 75 - 79 years
	42	... 80 - 84 years
	43	... 85 - 89 years
	44	... 90 - 94 years
	45	... 95 - 99 years
	46	... 100 - 104 years
	47	... 105 - 109 years
	48	... 110 - 114 years
	49	... 115 - 119 years

2005  
Mortality Multiple Cause-of-Death Public Use Record

<u>Tape Location</u>	<u>Field Size</u>	<u>Item and Code Outline</u>
75-76	2	<u>Age Recode 52- Con.</u>
		50 ... 120 - 124 years
		51 ... 125 years and over
		52 ... Age not stated
77-78	2	<u>Age Recode 27</u>
		01 ... Under 1 month (includes not stated weeks, days, hours, and minutes)
		02 ... 1 month - 11 months (includes not stated months)
		03 ... 1 years
		04 ... 2 years
		05 ... 3 years
		06 ... 4 years
		07 ... 5 - 9 years
		08 ... 10 - 14 years
		09 ... 15 - 19 years
		10 ... 20 - 24 years
		11 ... 25 - 29 years
		12 ... 30 - 34 years
		13 ... 35 - 39 years
		14 ... 40 - 44 years
		15 ... 45 - 49 years
		16 ... 50 - 54 years
		17 ... 55 - 59 years
		18 ... 60 - 64 years
		19 ... 65 - 69 years
		20 ... 70 - 74 years
		21 ... 75 - 79 years
		22 ... 80 - 84 years
		23 ... 85 - 89 years
		24 ... 90 - 94 years
		25 ... 95 - 99 years
		26 ... 100 years and over
		27 ... Age not stated
79-80	2	<u>Age Recode 12</u>
		01 ... Under 1 year (includes not stated infant ages)
		02 ... 1 - 4 years
		03 ... 5 - 14 years
		04 ... 15 - 24 years
		05 ... 25 - 34 years
		06 ... 35 - 44 years
		07 ... 45 - 54 years
		08 ... 55 - 64 years
		09 ... 65 - 74 years
		10 ... 75 - 84 years
		11 ... 85 years and over
		12 ... Age not stated

2005  
Mortality Multiple Cause-of-Death Public Use Record

<u>Tape Location</u>	<u>Field Size</u>	<u>Item and Code Outline</u>
81-82	2	<u>Infant Age Recode 22</u>
		Blank ... Age 1 year and over or not stated
		01 ... Under 1 hour (includes not stated hours and minutes)
		02 ... 1 - 23 hours
		03 ... 1 day (includes not stated days)
		04 ... 2 days
		05 ... 3 days
		06 ... 4 days
		07 ... 5 days
		08 ... 6 days
		09 ... 7-13 days (includes not stated weeks)
		10 ... 14 - 20 days
		11 ... 21 - 27 days
		12 ... 1 month (includes not stated months)
		13 ... 2 months
		14 ... 3 months
		15 ... 4 months
		16 ... 5 months
		17 ... 6 months
		18 ... 7 months
		19 ... 8 months
		20 ... 9 months
		21 ... 10 months
		22 ... 11 months
83	1	<u>Place of Death and Decedent's Status</u>
		1 ... Hospital, clinic or Medical Center - Inpatient
		2 ... Hospital, Clinic or Medical Center - Outpatient or admitted to Emergency Room
		3 ... Hospital, Clinic or Medical Center - Dead on Arrival
		4 ... Decedent's home
		5 ... Hospice facility
		6 ... Nursing home/long term care
		7 ... Other
		9 ... Place of death unknown
84	1	<u>Marital Status</u>
		S ... Never married, single
		M ... Married
		W ... Widowed
		D ... Divorced
		U ... Marital Status unknown

2005  
Mortality Multiple Cause-of-Death Public Use Record

<u>Tape Location</u>	<u>Field Size</u>	<u>Item and Code Outline</u>		
85	1	<u>Day of Week of Death</u>		
		1	...	Sunday
		2	...	Monday
		3	...	Tuesday
		4	...	Wednesday
		5	...	Thursday
		6	...	Friday
		7	...	Saturday
		9	...	Unknown
86-101	13	<u>Reserved Position</u> This position is blank.		
102-105	4	<u>Current Data Year</u>		
		2005	...	2005
106	1	<u>Injury at Work</u>		
		Y	...	Yes
		N	...	No
		U	...	Unknown
107	1	<u>Manner of Death</u>		
		1	...	Accident
		2	...	Suicide
		3	...	Homicide
		4	...	Pending investigation
		5	...	Could not determine
		6	...	Self-Inflicted
		7	...	Natural
		blank	...	Not specified
108	1	<u>Method of Disposition</u>		
		B	...	Burial
		C	...	Cremation
		O	...	Other
		U	...	Unknown

2005  
Mortality Multiple Cause-of-Death Public Use Record

<u>Tape Location</u>	<u>Field Size</u>	<u>Item and Code Outline</u>
109	1	<u>Autopsy</u>  Y     ...     Yes N     ...     No U     ...     Unknown
110-143	34	<u>Reserved Position</u> This position is blank.
144	1	<u>Activity Code</u>  0     ...     While engaged in sports activity 1     ...     While engaged in leisure activity 2     ...     While working for income 3     ...     While engaged in other types of work 4     ...     While resting, sleeping, eating (vital activities) 8     ...     While engaged in other specified activities 9     ...     During unspecified activity blank    ...     Not applicable
145	1	<u>Place of Injury for Causes W00-Y34, except Y06.- and Y07.-</u>  0            ...     Home 1            ...     Residential institution 2            ...     School, other institution and public administrative area 3            ...     Sports and athletics area 4            ...     Street and highway 5            ...     Trade and service area 6            ...     Industrial and construction area 7            ...     Farm 8            ...     Other Specified Places 9            ...     Unspecified place Blank        ...     Causes other than W00-Y34, except Y06.- and Y07.-
146-162	18	<u>UNDERLYING CAUSE OF DEATH</u>
146-149	4	<u>ICD Code (10<sup>th</sup> Revision)</u>  See the <u>International Classification of Diseases</u> , 1992 Revision, Volume 1.
150-152	3	<u>358 Cause Recode</u>  A recode of the ICD cause code into 358 groups for NCHS publications. Further back in this document is a complete list of recodes and the causes included.  001-456        ...     Code range (not inclusive)

2005  
Mortality Multiple Cause-of-Death Public Use Record

<u>Tape Location</u>	<u>Field Size</u>	<u>Item and Code Outline</u>
153	1	<u>Reserved Position</u> This position is blank.
154-156	3	<u>113 Cause Recode</u>  A recode of the ICD cause code into 113 groups for NCHS publications. Further back in this document is a complete list of recodes and the causes included.  001-135            ...            Code range (not inclusive)
157-159	3	<u>130 Infant Cause Recode</u>  A recode of the ICD cause code into 130 groups for NCHS publications. Further back in this document is a complete list of recodes and the causes included. Beginning in 2002 non-infant records are blank in this field.  001-158 ...            Code range (not inclusive)
160-161	2	<u>39 Cause Recode</u>  A recode of the ICD cause code into 39 groups for NCHS publications. Further back in this document is a complete list of recodes and the causes included.  01-42    ...            Code range (not inclusive)
162	1	<u>Reserved Position</u> This position is blank.
163-443	281	<u>MULTIPLE CONDITIONS</u>
163-164	2	<u>Number of Entity-Axis Conditions</u>  00-20                            ...            Code range
165-304	140	<u>ENTITY - AXIS CONDITIONS</u>  Space has been provided for maximum of 20 conditions. Each condition takes 7 positions in the record. The 7 <sup>th</sup> position will be blank. Records that do not have 20 conditions are blank in the unused area.

Position 1: Part/line number on certificate

1	...	Part I, line 1 (a)
2	...	Part I, line 2 (b)
3	...	Part I, line 3 (c)
4	...	Part I, line 4 (d)
5	...	Part I, line 5 (e)
6	...	Part II



2005  
Mortality Multiple Cause-of-Death Public Use Record

<u>Tape Location</u>	<u>Field Size</u>	<u>Item and Code Outline</u>
165-304	140	<u>ENTITY - AXIS CONDITIONS- Con.</u>
		Position 2: Sequence of condition within part/line
		1-7                      ...                      Code range
		Position 3 - 6: Condition code
		See Table 1 for a complete list of codes
165-171	7	1 <sup>st</sup> Condition
172-178	7	2 <sup>nd</sup> Condition
179-185	7	3 <sup>rd</sup> Condition
186-192	7	4 <sup>th</sup> Condition
193-199	7	5 <sup>th</sup> Condition
200-206	7	6 <sup>th</sup> Condition
207-213	7	7 <sup>th</sup> Condition
214-220	7	8 <sup>th</sup> Condition
221-227	7	9 <sup>th</sup> Condition
228-234	7	10 <sup>th</sup> Condition
235-241	7	11 <sup>th</sup> Condition
242-248	7	12 <sup>th</sup> Condition
249-255	7	13 <sup>th</sup> Condition
256-262	7	14 <sup>th</sup> Condition
263-269	7	15 <sup>th</sup> Condition
270-276	7	16 <sup>th</sup> Condition
277-283	7	17 <sup>th</sup> Condition
284-290	7	18 <sup>th</sup> Condition

2005  
Mortality Multiple Cause-of-Death Public Use Record

<u>Tape Location</u>	<u>Field Size</u>	<u>Item and Code Outline</u>
165-304	140	<u>ENTITY - AXIS CONDITIONS – Con.</u>
291-297	7	19 <sup>th</sup> Condition
298-304	7	20 <sup>th</sup> Condition
305-340	36	<u>Reserved Positions</u>
341-342	2	<u>Number of Record-Axis Conditions</u>
		00-20                      ... Code range
343	1	<u>Reserved Position</u> This position is blank.
344-443	100	<u>RECORD - AXIS CONDITIONS</u>
		Space has been provided for a maximum of 20 conditions. Each condition takes 5 positions in the record. The 5 <sup>th</sup> position will be blank. Records that do not have 20 conditions are blank in the unused area.
		Positions 1 - 4: Condition Code
		See Table 1 for a complete list of codes
344-348	5	1 <sup>st</sup> Condition
349-353	5	2 <sup>nd</sup> Condition
354-358	5	3 <sup>rd</sup> Condition
359-363	5	4 <sup>th</sup> Condition
364-368	5	5 <sup>th</sup> Condition
369-373	5	6 <sup>th</sup> Condition
374-378	5	7 <sup>th</sup> Condition
379-383	5	8 <sup>th</sup> Condition
384-388	5	9 <sup>th</sup> Condition
389-393	5	10 <sup>th</sup> Condition
394-398	5	11 <sup>th</sup> Condition
399-403	5	12 <sup>th</sup> Condition

2005  
Mortality Multiple Cause-of-Death Public Use Record

<u>Tape Location</u>	<u>Field Size</u>	<u>Item and Code Outline</u>
344-443	100	<u>RECORD - AXIS CONDITIONS – Con.</u>
404-408	5	13 <sup>th</sup> Condition
409-413	5	14 <sup>th</sup> Condition
414-418	5	15 <sup>th</sup> Condition
419-433	5	16 <sup>th</sup> Condition
424-428	5	17 <sup>th</sup> Condition
429-433	5	18 <sup>th</sup> Condition
434-438	5	19 <sup>th</sup> Condition
439-443	5	20 <sup>th</sup> Condition
444	1	<u>Reserved position</u> This position is blank.
445-482	38	<u>RACE</u>
445-446	2	<u>Race</u>

This item is: a) the reported race for States that are reporting single race or b) the bridged race for States that are reporting multiple race. Beginning with 1992 data, some areas started reporting additional Asian or Pacific Islander codes for race. Codes 18 - 68 replace old code 08 for these areas. Code 78 replaces old 08 for all other areas. For consistency with Census races, the category all other races has been imputed.

US Occurrence

01	... White
02	... Black
03	... American Indian (includes Aleuts and Eskimos)
04	... Chinese
05	... Japanese
06	... Hawaiian (includes Part-Hawaiian)
07	... Filipino
18	... Asian Indian
28	... Korean
38	... Samoan
48	... Vietnamese
58	... Guamanian
68	... Other Asian or Pacific Islander in areas reporting codes 18-58
78	... Combined other Asian or Pacific Islander, includes codes 18-68

2005  
Mortality Multiple Cause-of-Death Public Use Record

<u>Tape</u> <u>Location</u>	<u>Field</u> <u>Size</u>	<u>Item and Code Outline</u>
445-446	2	<p style="text-align: center;">for areas that do not report them separately <u>Race- Con.</u></p> <p>Puerto Rico Occurrence</p> <p>00    ... Other races 01    ... White 02    ... Black</p> <p>Virgin Islands Occurrence</p> <p>01    ... White 02    ... Black 03    ... American Indian (includes Aleuts and Eskimos) 04    ... Chinese 05    ... Japanese 06    ... Hawaiian (includes Part-Hawaiian) 07    ... Filipino 08    ... Other Asian or Pacific Islander</p> <p>Guam Occurrence</p> <p>01    ... White 02    ... Black 03    ... American Indian (Includes Aleuts and Eskimos) 04    ... Chinese 05    ... Japanese 06    ... Hawaiian (includes Part-Hawaiian) 07    ... Filipino 08    ... Other Asian or Pacific Islander 58    ... Guamanian</p> <p>American Samoa Occurrence</p> <p>01    ... White 02    ... Black 03    ... American Indian (includes Aleuts and Eskimos) 04    ... Chinese 05    ... Japanese 06    ... Hawaiian (includes Part-Hawaiian) 07    ... Filipino 08    ... Other Asian or Pacific Islander</p> <p>Northern Marianas Occurrence</p> <p>01    ... White 02    ... Black 03    ... American Indian (includes Aleuts and Eskimos) 04    ... Chinese 05    ... Japanese 06    ... Hawaiian (includes Part-Hawaiian)</p>

2005  
Mortality Multiple Cause-of-Death Public Use Record

<u>Tape Location</u>	<u>Field Size</u>	<u>Item and Code Outline</u>
445-446	2	<u>Race- Con.</u>  07    ... Filipino 18    ... Asian Indian 28    ... Korean 38    ... Samoan 48    ... Vietnamese 58    ... Guamanian 68    ... Other Asian or Pacific Islander in areas reporting codes 18-58 78    ... Combined other Asian or Pacific Islander, includes 18-68 for areas that do not report them separately
447	1	<u>Bridged Race Flag</u>  Blank    ... Race is not bridged 1        ... Race is bridged
448	1	<u>Race Imputation Flag</u>  Blank            ...    Race is not imputed 1                ...    Unknown race is imputed 2                ...    All other races is imputed
449	1	<u>Race Recode 3</u>  1        ... White 2        ... Races other than White or Black 3        ... Black
450	1	<u>Race Recode 5</u>  0        ... Other (Puerto Rico only) 1        ... White 2        ... Black 3        ... American Indian 4        ... Asian or Pacific Islander
451-483	33	<u>Reserved Positions</u> These positions are blank.

2005  
Mortality Multiple Cause-of-Death Public Use Record

<u>Tape Location</u>	<u>Field Size</u>	<u>Item and Code Outline</u>		
484-486	3	<u>Hispanic Origin</u>		
		100-199	...	Non – Hispanic
		200-209	...	Spaniard
		210-219	...	Mexican
		260-269	...	Puerto Rican
		270-274	...	Cuban
		275-279	...	Dominican
		220	...	Central and South American
		221-230	...	Central American
		231-249	...	South American
		250-259	...	Latin American
		280-299	...	Other Hispanic
		996-999	...	Unknown
487	1	<u>Reserved Position</u>		
		This position is blank.		
488	1	<u>Hispanic Origin/Race Recode</u>		
		1	...	Mexican
		2	...	Puerto Rican
		3	...	Cuban
		4	...	Central or South American
		5	...	Other or unknown Hispanic
		6	...	Non - Hispanic white
		7	...	Non - Hispanic black
		8	...	Non - Hispanic other races
		9	...	Hispanic origin unknown